

AiSi 304 stainless steel mobile shelving


- Shelving in 18/10 stainless steel (AiSi 304).
- Ladders in 25 x 25 mm tubes - Adjustable in 190 mm steps.
- Assembly by cross-brace and connecting bar on the front to ensure optimal strength.
- 4 Ø 125 mm wheels in polyamide and stainless steel, including 2 with brake.
- Extremities closed by fully sealed weld (optional).
- Shelves available in wire or 18/10 stainless steel sheet, sold separately.

→ 1300 x 500 x 2005 mm - 2 ladders of 10 levels



Version 830.38 equipped

→ Shelving on wheels
1000 x 600 x 2005 mm



830.46



See the **AiSi 304 stainless steel shelves** available for stainless steel shelving

On page 24


→ SHELVING ON AISI 304 STAINLESS STEEL MOBILE WHEELS

MODEL	LEVELS	DIM. L X W X H	REF.
Depth 500 mm	6 levels	800 x 500 x 1245 mm	830.30
		1000 x 500 x 1245 mm	830.31
		1300 x 500 x 1245 mm	830.32
	8 levels	800 x 500 x 1625 mm	830.33
		1000 x 500 x 1625 mm	830.34
		1300 x 500 x 1625 mm	830.35
	10 levels	800 x 500 x 2005 mm	830.36
		1000 x 500 x 2005 mm	830.37
		1300 x 500 x 2005 mm	830.38
Depth 600 mm	6 levels	800 x 600 x 1245 mm	830.39
		1000 x 600 x 1245 mm	830.40
		1300 x 600 x 1245 mm	830.41
	8 levels	800 x 600 x 1625 mm	830.42
		1000 x 600 x 1625 mm	830.43
		1300 x 600 x 1625 mm	830.44
	10 levels	800 x 600 x 2005 mm	830.45
		1000 x 600 x 2005 mm	830.46
		1300 x 600 x 2005 mm	830.47

Shelves for AISI 304 stainless steel shelving

- Openwork shelf in 18/10 stainless steel wire (AISI 304).
- Straight wire termination - Clean finish with no sharp edges for the safety of users and the protection of stored products.
- Shelf designed for placement on the cleats of vertical ladders.

→ Stainless steel wire shelves




830.72

→ SHELVES FOR AISI 304 STAINLESS STEEL SHELVING

WIDTH	DEPTH 500 MM	DEPTH 600 MM
350 mm - DIN format	830.58	830.59
800 mm	830.72	830.75
1000 mm	830.73	830.76
1300 mm	830.74	830.77

- Full shelf in 18/10 stainless steel sheet (AISI 304) 10/10 ° thick.
- Trays terminated by folding on the front.
- Shelf designed for placement on the cleats of vertical ladders.

→ Shelves in stainless steel sheet



830.60

→ SHELVES FOR AISI 304 STAINLESS STEEL SHELVING

WIDTH	DEPTH 500 MM	DEPTH 600 MM
350 mm - DIN format	830.48	830.49
800 mm	830.60	830.63
1000 mm	830.61	830.64
1300 mm	830.62	830.65



→ Telescopic reinforcement bar for fixed corner shelving

6 adjustment positions for each configuration .

Ref. 893.42

→ Connecting piece for corner shelving

Connecting piece ensuring perfect continuity between shelves. Only for joining solid stainless steel sheet shelves.



DEPTH 500 MM	DEPTH 600 MM
893.01	893.02

Accessories and options for AiSi 304 shelving



→ Stainless steel sheet holders for DIN containers and bins

Ref. 893.40

For P. 600 mm shelving only



→ Stainless steel sheet holders for ISO 600 x 400 containers

Ref. 893.41


For P. 600 mm shelving only



→ Telescopic frame for sterilisation containers

Ref. 893.34

For P. 600 mm shelving only



→ Rear retaining grilles

Designed for 1800 and 2000 mm high shelves only.

L. 400 mm
(only DIN format)

Ref. 893.25

L. 800 mm
Ref. 893.07

L. 1000 mm
Ref. 893.08

L. 1300 mm
Ref. 893.09



→ Stainless steel shelf separators

Depth 500 mm

Ref. 893.12

Depth 600 mm

Ref. 893.13

→ Support for GN container lids

23 places for lid storage.

790 x 500 mm

Ref. 893.10

790 x 600 mm

Ref. 893.11



→ Adjustable adhesive label holder L. 1200 mm

Ref. 1200.69



→ Sealed by welding the 2 ends of the lateral ladder

Ref. 893.29